DO NOT OPEN THE SEAL UNTIL INSTRUCTED TO DO SO

Series :



Question Booklet No.

102570

GM/D/07/2024 EXAM.

2024

PAPER-I

Candidate's Signature

Time : 2 Hours

Maximum Marks: 200

ROLL NO.

Invigilator's Signature

INSTRUCTIONS FOR CANDIDATES

- Immediately after the commencement of the Examination, candidate should check that this
 Booklet does NOT have any unprinted, torn or missing pages/Sl. No. etc. If any defect is found,
 candidates should not write or mark anything on the OMR RESPONSE SHEET and immediately
 report it to the room Invigilator for replacement by a Complete Question Booklet.
- 2. Candidate should carefully read the instructions on the back of the OMR RESPONSE SHEET. They should NOT write Name, mark, make any stray marking or write anything irrelevant on either side of the OMR RESPONSE SHEET. Remarks other than the Answers and requisite details will be treated as revealing your identity and upon physical verification if such remarks are found, the OMR RESPONSE SHEET will be invalidated and the candidature cancelled. No rough work should be done on the OMR RESPONSE SHEET. Rough work space provided in the Question Booklet can be used for the same.
- Candidate should enter correct and complete digits of his/her Roll Number, Booklet Number and other details in the appropriate boxes and darken the corresponding bubbles in the OMR RESPONSE SHEET.
- Candidate should NOT handle his/her OMR RESPONSE SHEET in such a manner as to mutilate, fold etc.
- 5. This Question Booklet contains 100 questions carrying 2 (two) marks each. Each question contains four responses. Only one response/answer for each question should be marked appropriately in the bubble on the OMR RESPONSE SHEET. If more than one response is marked, the answer will be considered wrong.
- Candidates are strictly prohibited to possess any book, notebook or loose paper, calculator, mobile phone, any electronic gadget, digital wristwatch etc., inside the Examination Hall, except his/her Unique ID, Admit Card and writing materials only.
- 7. Immediately after the final bell indicating the closure of the Examination, candidates should stop marking answers. Candidates should remain seated till the collection of OMR RESPONSE SHEET by the Invigilator. They will leave the Examination Hall after submission of OMR only after they are permitted by the Invigilator.
- 8. Violation of any of the above Rules will render the candidate liable to be expelled and disqualified from the Examination and according to the nature and gravity of his/her offence, he/she may be debarred from future Examinations and interviews to be conducted by the Commission and other such organizations.

NB: CANDIDATES ARE ALLOWED TO TAKE THIS QUESTION BOOKLET WITH THEM ONLY AFTER COMPLETION OF 2 (TWO) HOURS OF EXAMINATION TIME.

DO NOT OPEN THE SEAL UNTIL INSTRUCTED TO DO SO

GM/D/07/2024 EXAM. 2024/3-A



- 1. Which of the following is **not** a sealant material?
 - [A] Resin-based sealants
 - [B] Glass ionomer sealants
 - [C] Polyacid modified resin sealants
 - [D] Mineral trioxide aggregate
- 2. Which immunoglobulin is primarily targeted by a vaccine for dental caries?
 - [A] IgG
 - [B] IgM
 - [C] IgA
 - [D] IgE
- **3.** The headquarters of UNICEF is situated in
 - [A] Geneva, Switzerland
 - [B] New York, USA
 - [C] Paris, France
 - [D] London, UK
- **4.** The Nalgonda technique is primarily used for
 - [A] water fluoridation
 - [B] water defluoridation
 - [C] water purification
 - [D] desalination
- 5. An interdental cleaning aid is indicated to remove plaque from the interproximal tooth surface. This cleaning aid is known as
 - [A] toothbrush
 - [B] dental floss
 - [C] mouthwash
 - [D] toothpaste

- **6.** A scale used to quantify attitudes and behaviours, where respondents select a response that best represents the rank or degree of their answer, is known as
 - [A] nominal scale
 - [B] ordinal scale
 - [C] Likert scale
 - [D] semantic differential scale
- 7. What is the optimum level of fluoride in water for the protection against dental caries?
 - [A] 1 ppm
 - [B] 2 ppm
 - [C] 3 mg
 - [D] 0.1 gram
- **8.** Which study design proceeds backward from effect to cause?
 - [A] Case-Control Study
 - [B] Cohort Study
 - [C] Cross-Sectional Study
 - [D] Experimental Study
- 9. On which date is World No Tobacco Day observed?
 - [A] April 7
 - [B] May 31

[C] June 5



- [D] July 1
- **10.** The immunoglobulin predominantly present in saliva is
 - [A] IgA
 - [B] IgG
 - [C] IgM
 - [D] IgE

- **11.** Deficiency of which vitamin results in angular stomatitis and cheilosis?
 - [A] Vitamin B1
 - [B] Vitamin B2
 - [C] Vitamin C
- [D] Vitamin D
- **12.** The first fluoride varnish developed in dentistry is the viscous material known as
 - [A] fluor protector
 - [B] duraphat
 - [C] clinpro
 - [D] vanish
- 13. The number of new cases of a specific disease occurring in a defined population during a specified period of time is called
 - [A] prevalence
 - [B] incidence
 - [C] morbidity
 - [D] mortality
- **14.** A group of people who share a common characteristic or experiences within a defined time period is called
 - [A] cohort
 - [B] sample
 - [C] population
 - [D] frame
- **15.** A disease seen in excess of normal in a community results in
 - [A] epidemic
 - [B] endemic
 - [C] endozoic
 - [D] pandemic

- **16.** Which index is specifically used to evaluate the severity of dental fluorosis?
 - [A] Dean's Index
 - [B] DMFT Index
 - [C] Plaque Index
 - [D] Gingival Index
- 17. What does the DMFT index measure?
 - [A] Dental caries status
 - [B] Body mass index
 - [C] Bone density
 - [D] Blood pressure
- **18.** Which term refers to the value that appears most frequently in a data set?
 - [A] Mode
 - [B] Median
 - [C] Mean
 - [D] Range
- **19.** Which vitamin deficiency is associated with gingival bleeding?
 - [A] Vitamin A
 - [B] Vitamin B
 - [C] Vitamin E
 - [D] Vitamin K
- **20.** Which type of microorganisms is **not** commonly found in dental plaque?
 - [A] Streptococci
 - [B] Actinomyces
 - [C] Veillonella
 - [D] Mycobacteria

- **21.** Which index is used to assess the thickness of plaque at the gingival area of the tooth?
 - [A] Plaque Index
 - [B] Gingival Index
 - [C] Plaque Control Record
 - [D] Bleeding Index
- **22.** Which of the following terms refers to wastewater that **does not** contain human excreta?
 - [A] Sullage
 - [B] Sewage
 - [C] Effluent
 - [D] Sludge
- **23.** What is the term used for a substance applied with a toothbrush to clean the accessible surface of the teeth?
 - [A] Mouthwash
 - [B] Dentifrices
 - [C] Dental floss
 - [D] Mouth rinse
- **24.** Which of the following components are included in a balanced diet?
 - [A] Only protein
 - [B] Only fat and carbohydrates
 - [C] Protein, fat and carbohydrates
 - [D] Protein, fat, carbohydrates and all essential nutrients
- **25.** Predominant immunoglobulin in Gingival Crevicular Fluid (GCF) is
 - [A] IgA
 - [B] IgE
 - [C] IgG
 - [D] IgM

- **26.** Which of the following instruments has two-point contact with the tooth?
 - [A] Hoe
 - [B] Sickle
 - [C] Curette
 - [D] Cumin
- 27. Pyogenic Granuloma is
 - [A] malignant enlargement
 - [B] non-inflammatory enlargement
 - [C] false enlargement
 - [D] non-specific conditioned enlargement
- **28.** Which of the following cells is responsible for external inflammatory root resorption?
 - [A] Osteoclast
 - [B] Ameloblast



- [C] Spiroclast
- [D] Odontoblast
- 29. Halitosis is primarily due to
 - [A] H_2S
 - [B] alkaline phosphates
 - [C] trypsin enzymes
 - [D] collagenase enzymes
- Angulation of instrument for scaling and root planing is
 - [A] 45°-90°
 - [B] 90°
 - [C] >90°
 - [D] 0°

- **31.** Commonest osscous lesion in periodontitis is
 - [A] crater
 - [B] exostosis



- [C] hemiseptum
- [D] ledge
- **32.** All are non-keratinized structures, *except*
 - [A] col
 - [B] junctional epithelium
 - [C] sulcular epithelium
 - [D] attached gingiva
- **33.** Which of the following is **not** a property of acquired pellicle?
 - [A] It is formed from salivary proteins
 - [B] It influences the initial colonizer bacteria of oral cavity
 - [C] It protects from erosive demineralization
 - [D] It is a static layer that doesn't change with time unless cleaned
- **34.** Trauma from occlusion has also been described in past as following terms, *except*
 - [A] traumatic occlusion
 - [B] traumatogenic occlusion
 - [C] cervical occlusal resorption
 - [D] periodontal traumatism
- 35. Bass tooth brushing technique is
 - [A] scrubbing action
 - [B] side to side vibration
 - [C] rotational
 - [D] vertical

- **36.** Cellular infiltrate of sites that bleed in probing is predominantly
 - [A] lymphocytes
 - [B] neutrophils
 - [C] plasma cells
 - [D] fibroblast
- **37.** Synthetic resorbable suture material used in periodontal surgery is
 - [A] polyglycolic acid
 - [B] ePTFE
 - [C] nylon
 - [D] chromic gut
- 38. Active ingredient in PerioChip is
 - [A] minocycline
 - [B] chlorhexidine
 - [C] metronidazole
 - [D] tetracycline
- **39.** Vertical grooving is a periodontal surgical technique for
 - [A] osteoplasty procedure
 - [B] ostectomy procedure
 - [C] Both [A] and [B]
 - [D] None of the above
- **40.** Which of the following is commonly associated with acute necrotizing ulcerative gingivitis?
 - [A] HIV/AIDS
 - [B] Hypertension
 - [C] Hyperthyroidism
 - [D] Atherosclerosis

- **41.** In piezoelectric type of ultrasonic scaler
 - [A] pattern of vibration is linear
 - [B] pattern of vibration is elliptical
 - [C] pattern of vibration is orbital
 - [D] All of the above
- **42.** Which of the following is **not** a cause or risk factor of periodontal disease?
 - [A] Calculus
 - [B] Microbial dental plaque



- [C] One-sided chewing
- [D] Both-sided chewing
- **43.** The presence of clinically detectable attachment loss as a result of inflammatory destruction of the periodontal ligament and alveolar bone is indicative of
 - [A] gingivitis
 - [B] periodontitis
 - [C] dental caries
 - [D] peri-implantitis
- 44. Smoking is a major risk factor for
 - [A] gingivitis
 - [B] periodontitis
 - [C] Both [A] and [B]
 - [D] None of the above
- **45.** A biomarker associated with periodontitis is
 - [A] interleukin-6
 - [B] C-reactive protein
 - [C] matrix metalloproteinase-8
 - [D] tumor necrosis factor-alpha

- **46.** Which of the following is **not** observed in periodontitis?
 - [A] Increased serum or plasma level of cytokines
 - [B] Increased levels of interleukin 1-alpha
 - [C] Increased levels of C-reactive protein
 - [D] Increased levels of DSPP
- **47.** The signs and symptoms of periodontitis do not include
 - [A] pocket formation and increased tooth mobility
 - [B] pain and discomfort
 - [C] bad breath and bleeding
 - [D] white lesions on tongue
- **48.** A disease initiated by specific bacteria in dental biofilm, where the signs and symptoms are a result of the host immune response to the bacteria and its byproducts is
 - [A] gingivitis
 - [B] dental caries
 - [C] periodontitis
 - [D] peri-implantitis
- 49. The structure of dental calculus is
 - [A] lamellar structure
 - [B] elliptical structure
 - [C] spheroidal structure
 - [D] conical structure
- **50.** Necrotizing Ulcerative Gingivitis (NUG) is associated with which of the following bacteria?
 - [A] Fusiform Bacilli and Spirochetes
 - [B] Streptococcus mutans
 - [C] Lactobacillus
 - [D] Porphyromonas gingivalis

- **51.** Gingival enlargement, also known as gingival overgrowth, can be caused by the use of certain drugs. Which of the following drugs is associated with gingival enlargement?
 - [A] Tetra hypochloric acid
 - [B] Simvastatin
 - [C] Calcium channel blockers (e.g., Nifedipine, Verapamil)
 - [D] Antihistaminic
- 52. Soft tissue accumulation of bacteria, food matter and tissue cells that lack the organized structure of dental biofilm and are easily displaced with water spray is known as
 - [A] Dental Plaque
 - [B] Calculus
 - [C] Materia Alba
 - [D] Pellicle
- **53.** What is the name of the most anterior point located midway between the frontal and nasal bones on the frontonasal suture?
 - [A] Glabella
 - [B] Nasion
 - [C] Bregma
 - [D] Lambda
- **54.** According to Angle's classification of malocclusion, which tooth is considered the key to occlusion?
 - [A] Central incisor
 - [B] Canine
 - [C] First molar
 - [D] Second premolar
- **55.** Which of the following is **not** an active component of a removable orthodontic appliance?
 - [A] Bows
 - [B] Springs and screw
 - [C] Elastics
 - [D] Pinhead

- **56.** The Frankel Appliance is an example of which type of orthodontic appliance?
 - [A] Removal Appliance
 - [B] Functional Appliance
 - [C] Retention Appliance
 - [D] None of the above
- **57.** Which of the following **does not** come under Andrews' six keys to normal occlusion?
 - [A] Curve of Spee
 - [B] Tight contacts
 - [C] Absence of rotation
 - [D] Curve of Wilson
- **58.** Which type of malocclusion is produced by a forward movement of the mandible during jaw closure?
 - [A] Class III malocclusion
 - [B] Pseudo class III malocclusion
 - [C] Class II malocclusion
 - [D] Pseudo class II malocclusion
- **59.** The formation of a diagnostic triangle using three planes is done in which of the following cephalometric analysis?
 - [A] Tweed analysis
 - [B] Downs analysis
 - [C] Steiner analysis
 - [D] None of the above
- **60.** According to orthodontic analysis, the ratio between the mesiodistal widths of the maxillary and mandibular teeth is known as
 - [A] Downs analysis
 - [B] Tweed analysis
 - [C] Bolton analysis
 - [D] Steiner analysis



- **61.** Which of the following is **not** a type of tooth movement?
 - [A] Tipping
 - [B] Bodily movement
 - [C] Intrusion
 - [D] Reverse anchorage
- **62.** Which of the following teeth is most commonly extracted as part of orthodontic treatment?
 - [A] Central incisor
 - [B] First molar
 - [C] First premolar
 - [D] Third molar
- **63.** What is **not** the objective of an orthodontic therapy?
 - [A] Functional efficiency
 - [B] Structural balance
 - [C] Aesthetic harmony
 - [D] Healing of periapical lesions
- **64.** Who is the father of modern orthodontics?
 - [A] Edward Angle
 - [B] William Edwards
 - [C] James Harris
 - [D] John Doe
- **65.** Electromyography is a procedure used for recording the electrical activity of
 - [A] bone
 - [B] muscle
 - [C] both bone and muscle
 - [D] None of the above

- 66. A surgical procedure which helps in development of new bone through incremental traction between segments of bone that have been separated deliberately is known as
 - [A] cataract surgery
 - [B] distraction osteogenesis
 - [C] osteotomy
 - [D] arthroplasty
- **67.** What is the latency period in distraction osteogenesis?
 - [A] 1-3 days
 - [B] 5-7 days
 - [C] 10-14 days
 - [D] 3-4 weeks
- **68.** The Edgewise technique was introduced by
 - [A] Edward Angle
 - [B] Eugene Roberts
 - [C] Charles Tweed
 - [D] James H. Downs
- **69.** Which of the following is also known as Liverpool clasp or universal clasp?
 - [A] Adams clasp
 - [B] Ball-end clasp



- [C] T-bar clasp
- [D] Retentive clasp
- **70.** The curve that contacts the buccal and lingual cusp tips of the mandibular buccal teeth is known as
 - [A] Curve of Wilson
 - [B] Curve of Spee
 - [C] Curve of Monson
 - [D] None of the above

- **71.** Who proposed a modification of Angle's classification of malocclusion and divided Angle's Class I into 5 types and Angle's Class III into 3 types?
 - [A] Edward Angle
 - [B] Charles Tweed
 - [C] William Downs
 - [D] Charles Dewey
- **72.** Which of the following is **not** a vertical plane?
 - [A] Pog line
 - [B] Facial plane
 - [C] E plane
 - [D] S-N plane
- **73.** A non-radiographic method of mixed dentition analysis is suggested by
 - [A] Tanaka and Johnston
 - [B] Nance
 - [C] Hixon and Oldfather
 - [D] Moyer
- **74.** Functional matrix theory is hypothesized by
 - [A] Edward Angle
 - [B] James Harris
 - [C] Melvin Moss
 - [D] Charles Burstone
- **75.** A transient or self-correcting malocclusion seen in the maxillary incisor region between 8 to 9 years of age is called
 - [A] Ugly Duckling Stage
 - [B] Mixed Dentition Stage
 - [C] Transition Stage
 - [D] Early Adolescent Stage

- 76. The amount of leeway space is
 - [A] greater in the mandibular arch
 - [B] greater in the maxillary arch
 - [C] equal in both arches
 - [D] None of the above



- 77. The primate spaces are between
 - [A] mesial to maxillary canine
 - [B] distal to mandibular canine
 - [C] maxillary first molars and second molars
 - [D] Both [A] and [B]
- 78. What is WITS APPRAISAL?
 - [A] Model Analysis
 - [B] Cephalometric Analysis
 - [C] Computer Analysis
 - [D] Coronal Plane Analysis
- 79. Baker's Anchorage is a type of
 - [A] intramaxillary anchorage
 - [B] intermaxillary anchorage
 - [C] extraoral anchorage
 - [D] muscular anchorage
- **80.** Which of the following is considered the simplest movement during orthodontic treatment?
 - [A] Intrusion
 - [B] Tipping
 - [C] Extrusion
 - [D] Bodily movement

- **81.** The Begg appliance is a modification of which of the following?
 - [A] Ribbon Arch Technique
 - [B] E-Arch Technique
 - [C] Edgewise Technique
 - [D] Pin and Tube Technique
- **82.** Bone age is best estimated by which of the following?
 - [A] Clinical evaluation of the patient
 - [B] Radiograph of the teeth
 - [C] Pedigree charts
 - [D] Radiograph of the wrist
- **83.** A biopsy is advised to rule out squamous cell carcinoma if any lesion is non-healing and persistent for the minimum period of
 - [A] two to four weeks
 - [B] three to four months
 - [C] four to six days
 - [D] six months
- **84.** The acute form of pseudomembranous candidiasis is known as
 - [A] Thrush
 - [B] Angular Cheilitis
 - [C] Denture Stomatitis
 - [D] Erythematous Candidiasis
- **85.** Which of the following lesions are referred to as a Candida-associated infection, as they are always associated with a raised count of intraoral Candida?
 - [A] Denture Stomatitis and Angular Cheilitis
 - [B] Oral Lichen Planus and Geographic Tongue
 - [C] Herpes Simplex Virus Infection and Aphthous Stomatitis
 - [D] Behçet's Disease and Erythema Multiforme

- **86.** Which of the following lesions is considered a pre-malignant condition?
 - [A] Submucous Fibrosis
 - [B] Squamous cell Carcinoma
 - [C] Herpes Simplex Virus Infection
 - [D] Aphthous Stomatitis
- **87.** Wickham's striae is a hallmark of which of the following conditions?
 - [A] Lichen Planus
 - [B] Oral Candidiasis
 - [C] Pemphigus Vulgaris
 - [D] Behçet's Disease
- **88.** Which of the following is **not** a clinical phenotype of lichen planus?
 - [A] Reticular type
 - [B] Erythematous type
 - [C] Ulcerative type
 - [D] Luminous type
- **89.** Which of the following best describes a chronic inflammatory lesion that is a cell-mediated immune disease of unknown etiology?
 - [A] Pemphigus Vulgaris
 - [B] Lichen Planus
 - [C] Behçet's Disease
 - [D] Herpes Simplex Virus Infection
- 90. Which of the following best describes a lesion that is a white plaque of questionable risk, having excluded known diseases, infections or disorders?
 - [A] Leukoplakia
 - [B] Candidiasis
 - [C] Erythroplakia
 - [D] Lichen Planus



- **91.** Necrotizing Ulcerative Gingivitis has a rapid and acute onset. The symptoms include everything mentioned below, *except*
 - [A] excessive salivation



- [B] metallic taste
- [C] sensitivity of the gingiva
- [D] enamel hypoplasia
- **92.** There is substantial evidence that lends support to a critical role of Areca nuts in the etiology of which of the following diseases?
 - [A] Oral submucous fibrosis
 - [B] Periodontal disease
 - [C] Candidiasis
 - [D] Herpes Simplex Virus Infection
- **93.** The occipitomental projection is also known as the
 - [A] lateral projection
 - [B] Caldwell projection
 - [C] Waters projection
 - [D] Towne projection
- **94.** A late complication of radiation therapy occurs when an area of irradiated bone becomes de-vitalized. This condition is known as
 - [A] osteomyelitis
 - [B] osteoradionecrosis
 - [C] osteoporosis
 - [D] osteosarcoma
- **95.** Which of the following cells is the least radio-sensitive?
 - [A] Neurons
 - [B] Fibroblasts
 - [C] Basal cells of oral mucosa
 - [D] Bone marrow stem cells

- 96. The rapidly dividing cell will be
 - [A] less radio-sensitive
 - [B] more radio-sensitive
 - [C] not radio-resistant
 - [D] None of the above
- **97.** A typical full mouth set of radiographs consists of
 - [A] 15 periapical views and 4 bitewing views
 - [B] 17 periapical views and 4 bitewing views
 - [C] 4 periapical views and 17 bitewing views
 - [D] 4 periapical views and 4 bitewing views
- **98.** Plane radiographs, which project a three-dimensional volume onto a two-dimensional receptor, may produce an effect known as
 - [A] Eggshell effect
 - [B] Cloud effect
 - [C] Morula effect
 - [D] Dew XLF effect
- **99.** The acronym SLOB in radiography stands for
 - [A] Same-Lingual and Opposite Buccal
 - [B] Same-Lateral Object and Opposite Buccal
 - [C] Same-Lingual and Opposite Border
 - [D] None of the above
- **100.** In intraoral radiography, the position of an object can be determined with respect to a reference structure using the technique known as
 - [A] paralleling technique
 - [B] tube shift technique
 - [C] bisecting angle technique
 - [D] panoramic technique

GDMO-DENTAL SURGEON PAPER-I SET - A

SET - A	
Q.No.	ANSWER KEY
1	D
2	С
3	В
4	В
5	В
6	С
7	A
8	A
9	В
10	A
11	В
12	В
13	В
14	A
15	A
16	A
17	A
18	A
19	D
20	D
21	A
22	A
23	В
24	D
25	С
26	A
27	D
28	A
29	A
30	A
31	A
32	D
33	D
34	С
35	В

36	A
37	A
38	В
39	A
40	A
41	A
42	D
43	В
44	С
45	С
46	D
47	D
48	С
49	D
50	A
51	С
52	С
53	В
54	С
55	D
56	В
57	D
58	В
59	A
60	С
61	D
62	С
63	D
64	A
65	В
66	В
67	В
68	A
69	A
70	A
71	D
72	D
73	A
74	С

75	A
76	A
77	D
78	В
79	В
80	В
81	A
82	D
83	A
84	A
85	A
86	A
87	A
88	D
89	В
90	A
91	D
92	A
93	С
94	В
95	A
96	В
97	В
98	A
99	A
100	В