DO NOT OPEN THE SEAL UNTIL INSTRUCTED TO DO SO

Series :



Question Booklet No.

102574

GM/H/07/2024 EXAM.

2024

PAPER-II


Invigilator's Signature

Candidate's Signature

Maximum Marks: 200

Time: 2 Hours

ROLL NO.



INSTRUCTIONS FOR CANDIDATES

- Immediately after the commencement of the Examination, candidate should check that this
 Booklet does NOT have any unprinted, torn or missing pages/Sl. No. etc. If any defect is found,
 candidates should not write or mark anything on the OMR RESPONSE SHEET and immediately
 report it to the room Invigilator for replacement by a Complete Question Booklet.
- 2. Candidate should carefully read the instructions on the back of the OMR RESPONSE SHEET. They should NOT write Name, mark, make any stray marking or write anything irrelevant on either side of the OMR RESPONSE SHEET. Remarks other than the Answers and requisite details will be treated as revealing your identity and upon physical verification if such remarks are found, the OMR RESPONSE SHEET will be invalidated and the candidature cancelled. No rough work should be done on the OMR RESPONSE SHEET. Rough work space provided in the Question Booklet can be used for the same.
- Candidate should enter correct and complete digits of his/her Roll Number, Booklet Number and other details in the appropriate boxes and darken the corresponding bubbles in the OMR RESPONSE SHEET.
- Candidate should NOT handle his/her OMR RESPONSE SHEET in such a manner as to mutilate, fold etc.
- 5. This Question Booklet contains 100 questions carrying 2 (two) marks each. Each question contains four responses. Only one response/answer for each question should be marked appropriately in the bubble on the OMR RESPONSE SHEET. If more than one response is marked, the answer will be considered wrong.
- Candidates are strictly prohibited to possess any book, notebook or loose paper, calculator, mobile phone, any electronic gadget, digital wristwatch etc., inside the Examination Hall, except his/her Unique ID, Admit Card and writing materials only.
- 7. Immediately after the final bell indicating the closure of the Examination, candidates should stop marking answers. Candidates should remain seated till the collection of OMR RESPONSE SHEET by the Invigilator. They will leave the Examination Hall after submission of OMR only after they are permitted by the Invigilator.
- **8.** Violation of any of the above Rules will render the candidate liable to be expelled and disqualified from the Examination and according to the nature and gravity of his/her offence, he/she may be debarred from future Examinations and interviews to be conducted by the Commission and other such organizations.
 - NB: CANDIDATES ARE ALLOWED TO TAKE THIS QUESTION BOOKLET WITH THEM ONLY AFTER COMPLETION OF 2 (TWO) HOURS OF EXAMINATION TIME.

DO NOT OPEN THE SEAL UNTIL INSTRUCTED TO DO SO

- 1. Niacin is synthesized from
 - [A] tryptophan



- [B] tyrosine
- [C] methionine
- [D] phenylalanine
- 2. The process of prevention before the onset of clinical disease to prevent its occurrence in human population is called
 - [A] secondary prevention
 - [B] tertiary prevention
 - [C] primary prevention
 - [D] quaternary prevention
- 3. Which of the following tests indicates the chlorine demand of water *i.e.* the amount of a particular bleaching powder needed for disinfecting a particular water source to get 1 PPM of chlorine?
 - [A] Orthotolidine test
 - [B] Moses test
 - [C] Horrocks test
 - [D] Starch-iodine test
- **4.** Norwegian rats are the reservoir for transmission of which disease?
 - [A] Trichinosis
 - [B] Salmonellosis
 - [C] Plague
 - [D] Weil's disease

- **5.** Under the National Immunization Programme, which of the following vaccines is administered intradermally?
 - [A] Oral Polio Vaccine
 - [B] BCG
 - [C] DPT
 - [D] Pneumococcal Conjugate Vaccine
- **6.** The concept of classifying the victims in order to assign priorities for medical care and transportation in a disaster situation is known as
 - [A] sullage
 - [B] triage
 - [C] mobilisation
 - [D] cohort study
- 7. The average number of daughters that would be born to a woman if she experiences the current fertility and mortality patterns throughout her reproductive span (15-49 years) is known as
 - [A] General Fertility Rate (GFR)
 - [B] Total Fertility Rate (TFR)
 - [C] Net Reproduction Rate (NRR)
 - [D] General Marital Fertility Rate (GMFR)
- **8.** According to the color coding scheme of biomedical waste segregation, used glass vials should be disposed in which color container?
 - [A] Yellow
 - [B] Black
 - [C] Red
 - [D] Blue

- Sensitivity is the ability of a test to detect
 - [A] false positives
 - [B] false negatives
 - [C] true positives
 - [D] true negatives
- **10.** The National Malaria Eradication Program was launched in the year
 - [A] 1958
 - [B] 1966
 - [C] 1970
 - [D] 1976



- **11.** Bluish or purplish discoloration of anterior vaginal wall around 6-8 weeks after conception is known as
 - [A] Hegar's sign
 - [B] Chadwick's sign
 - [C] Osiander's sign
 - [D] Piskacek's sign
- 12. Match the following:

Chromosomal disease				Anomaly		
(a)	Dov	vn's sy	ndrom	e	1.	45, X0
(b) Turner's syndrome				2.	Trisomy 18	
(c)	(c) Edwards' syndrome			3.	47XXY	
(d)	(d) Klinefelter's syndrome			4.	Trisomy 21	
		(a)	(b)	(c)	(d)	
	[A]	2	1	3	4	
	[B]	4	3	2	1	
	[C]	4	1	2	3	
		_				

- **13.** Which of the following Leopold maneuvers is found empty in transverse lie of foetus?
 - [A] Pelvic grip
 - [B] Umbilical grip
 - [C] Fundal grip
 - [D] Pawlik's grip
- **14.** The largest diameter of the foetal head is
 - [A] occipitofrontal
 - [B] mentovertical
 - [C] suboccipitobregmatic
 - [D] submentovertical
- **15.** Consider the following statements regarding threatened abortion :
 - I. External os is closed
 - II. Passage of products of conception
 - III. Pelvic pain may be present
 - IV. Uterine size is smaller than age of gestation

Which of the above statements are *false*?

- [A] I and IV
- [B] II and III
- [C] I, III and IV
- [D] II and IV
- **16.** Which of the following is **not** a parameter of Bishop's score?
 - [A] Cervical effacement
 - [B] Fetal station
 - [C] Fetal weight
 - [D] Cervical consistency

[D] 3 2 4

- **17.** Which of the following statements is/are *true* regarding severe preeclampsia?
 - I. Significant proteinuria
 - II. Platelet count less than 100,000/mm³
 - III. Reduced creatinine and transaminase enzymes levels
 - IV. Persistent systolic BP above or equal to 160 mm Hg or diastolic pressure above 110 mm Hg

Choose the **correct** answer from the codes given below:

Codes:

- [A] IV only
- [B] I, II and III
- [C] I, III and IV
- [D] I, II and IV
- **18.** Which of the following statements is *true* for second stage of normal labour?
 - [A] There is a formation of physiological retraction ring
 - [B] There is propulsion and expulsion of foetus
 - [C] It generally takes longer time in multipara
 - [D] Placental detachment occurs
- **19.** Which of the following is **not** a component of triple test?
 - [A] Maternal AFP
 - [B] Unconjugated estriol
 - [C] Inhibin-A
 - [D] hCG

- **20.** Increased fetal nuchal translucency may be indicative of
 - [A] IUGR



- [B] twin pregnancy
- [C] chromosomal abnormality
- [D] macrosomic fetus
- **21.** Investigation of choice to detect Neural Tube Defects is
 - [A] nonstress test
 - [B] ultrasound
 - [C] pelvic X-ray
 - [D] serum hCG levels
- **22.** Couvelaire uterus is typically associated with
 - [A] abruptio placentae
 - [B] incomplete abortion
 - [C] red degeneration of uterine fibroid
 - [D] chronic cervicitis
- 23. Lemon sign on ultrasound is suggestive of
 - [A] placenta previa
 - [B] spina bifida in fetus
 - [C] postpartum haemorrhage
 - [D] ectopic pregnancy
- 24. Goodell's sign is characterized by
 - [A] atrophy of cervix
 - [B] vaginal atresia
 - [C] softening of cervix
 - [D] pruritus vulvae

- **25.** For shivering in the first stage of labor with rigid os and severe spasmodic pain, worse from least noise, the remedy is
 - [A] Caulophyllum
 - [B] Pulsatilla
 - [C] Sabina
 - [D] Actaea racemosa
- **26.** The most common site of tuberculosis of genital tract in females is
 - [A] endometrium
 - [B] cervix
 - [C] fallopian tubes



- [D] ovaries
- 27. Gonadotropins are secreted by
 - [A] hypothalamus
 - [B] anterior pituitary
 - [C] posterior pituitary
 - [D] ovary
- 28. 'Clue cells' in vaginal smears are seen in women suffering from
 - [A] candidiasis
 - [B] trichomoniasis
 - [C] atrophic vaginitis
 - [D] bacterial vaginosis
- **29.** Which of the following is **not** a feature of Kallmann syndrome?
 - [A] Anosmia
 - [B] Delayed puberty
 - [C] Affects females more than males
 - [D] Midline facial defects

- **30.** Presence of sperms of abnormal morphology is known as
 - [A] asthenospermia
 - [B] teratospermia
 - [C] necrozoospermia
 - [D] azoospermia
- **31.** Gold standard for investigation of tubal factors for infertility is
 - [A] laparoscopy
 - [B] hysterosalpingography
 - [C] ultrasound
 - [D] MRI
- **32.** The most common cause of rectovaginal fistula is
 - [A] endometriosis
 - [B] rectal carcinoma
 - [C] obstetrical trauma
 - [D] inflammatory bowel disease
- **33.** A 27-year-old female is presented with secondary amenorrhea after undergoing dilatation and curettage. The most probable diagnosis is
 - [A] Mayer-Rokitansky-Küster-Hauser syndrome
 - [B] Kallmann's syndrome
 - [C] Turner's syndrome
 - [D] Asherman's syndrome

- **34.** Which of the following is *false* regarding uninfected Bartholin cyst?
 - [A] Can cause dyspareunia
 - [B] Fluid filled lump near vaginal opening
 - [C] Causes heavy menstrual bleeding
 - [D] Can occur as a result of trauma
- **35.** Sentinel node biopsy is most effective in the assessment of cancer of
 - [A] perineum
 - [B] breast
 - [C] fallopian tubes
 - [D] vagina
- **36.** Which of the following hormones is typically raised in Polycystic Ovary Syndrome?
 - [A] 17 OH Progesterone
 - [B] Melanin Stimulating Hormone
 - [C] Luteinizing Hormone
 - [D] Thyroid Stimulating Hormone
- **37.** Fertilization of the ovum by sperm takes place in which part of the fallopian tube?
 - [A] Ampulla
 - [B] Isthmus
 - [C] Fimbriae
 - [D] Interstitial portion
- **38.** Which of the following is *true* regarding Pap smear?
 - [A] It is used for diagnosis of metastatic cervical cancer
 - [B] Pap smear should always be obtained after vaginal examination
 - [C] Best time to do Pap smear is around ovulation
 - [D] Positive Pap smear test indicates only malignant changes

- **39.** Which of the following hormones can be used for the study of ovarian reserve?
 - [A] Estrogen
 - [B] Follicle Stimulating Hormone
 - [C] Progesterone
 - [D] Anti-Müllerian Hormone
- **40.** Thick bluish white leucorrhoea is a keynote feature of
 - [A] lachesis
 - [B] kreosote
 - [C] ambra grisea
 - [D] ledum pal
- **41.** Hepar sulphuris had been recommended by Hahnemann as an antidote for sudden poisoning by
 - [A] mineral acids
 - [B] metallic poisons
 - [C] opium
 - [D] digitalis
- **42.** Manifestations of hypoxic-ischemic encephalopathy before delivery are
 - I. Increase in fetal heart rate
 - II. Acidosis in scalp blood analysis
 - III. Increased fetal movements
 - IV. IUGR
 - [A] II and III
 - [B] II and IV
 - [C] III and IV
 - [D] I and IV

- **43.** Theory of chronic disease was introduced in which edition of the *Organon of Medicine?*
 - [A] Second
 - [B] Third
 - [C] Fourth
 - [D] Fifth
- **44.** Which of the following medicines is complementary of Stannum met?
 - [A] Pulsatilla
 - [B] Cuprum met
 - [C] Ranunculus bulbosus
 - [D] Kali sulph
- **45.** Dyslexia is a learning disability related to
 - [A] language processing skills
 - [B] memory
 - [C] fine motor skills
 - [D] social skills
- 46. Autism is characterized by
 - I. Qualitative impairment in verbal and non-verbal communication
 - II. Progressive loss of memory
 - III. Lack of imaginative activity
 - IV. Lack of reciprocal social interaction

Choose the **correct** answer from the codes given below:

Codes:

- [A] I, II and III
- [B] I, II and IV
- [C] II, III and IV
- [D] I, III and IV



- 47. Which of the following statements are correct about Duchenne Muscular dystrophy?
 - I. X-linked recessive disorder
 - II. Earliest sign of weakness is in the form of hip girdle weakness
 - III. Spastic paraplegia
 - IV. Pseudohypertrophy of calf muscles

Choose the **correct** answer from the codes given below:

Codes:

- [A] I, II and III
- [B] I, II and IV
- [C] II, III and IV
- [D] I, III and IV
- **48.** The most common cause of neonatal hypothyroidism is
 - [A] inborn errors of thyroid hormone synthesis
 - [B] thyroid gland dysgenesis
 - [C] TSHR antibody mediated
 - [D] Hashimoto's thyroiditis
- **49.** The most common cause of acute diarrhea in infants and young children is
 - [A] Rotavirus
 - [B] coli
 - [C] Shigella
 - [D] Vibrio cholerae
- **50.** The growth parameter considered for describing 'failure to thrive' is
 - [A] height
 - [B] weight
 - [C] BMI
 - [D] head circumference

- **51.** Colic from eating cucumbers is a keynote feature of
 - [A] Allium cepa
 - [B] Dioscorea villosa
 - [C] Colocynthis
 - [D] Dulcamara
- **52.** Stomach and liver symptoms associated with pain in limbs greatly aggravated by lying on the left side belong to
 - [A] Sulphuric acid
 - [B] Ptelea
 - [C] Zincum met
 - [D] Psorinum
- **53.** Backache worse in morning before rising with craving for tobacco is a symptom of
 - [A] Natrum mur
 - [B] Calcarea carb
 - [C] Staphysagria
 - [D] Helleborus
- **54.** Remedy for metrorrhagia occurring midway between menstrual periods, menses dark and profuse with soreness in abdomen is
 - [A] Arnica montana
 - [B] Millefolium
 - [C] Coccus cacti
 - [D] Hamamelis virginica

- **55.** A 36-year-old diabetic patient, suffering from impotency, has longing for alcoholic liquors. He complains of a tendency for headache at high altitudes. The most appropriate remedy is
 - [A] Lycopodium
 - [B] Coca
 - [C] Ranunculus bulbosus
 - [D] Phosphoric acid
- **56.** Which of the following remedies antidotes poisoning with Rhus and stings of insects and is inimical to Lachesis?
 - [A] Ammonium carb
 - [B] Apis mellifica
 - [C] Ledum pal
 - [D] Silicea
- 57. An 18-year-old female patient complains of sore throat, beginning on left side with sensation of a lump in throat and constant necessity to swallow. Warm food and drink relieve. She is thirstless and sensitive to cold. The most appropriate remedy for this patient is
 - [A] Belladonna
 - [B] Hepar sulph
 - [C] Rhus tox
 - [D] Sabadilla



- **58.** A patient reported with diarrhoea in summer from cold drinks with sleepiness and fainting. He had great dryness of the mouth, saliva seemed like cotton. The remedy is
 - [A] Aethusa cynapium
 - [B] Opium
 - [C] Nux moschata
 - [D] Gelsemium
- **59.** Prolapsus with weak sinking feeling in stomach. Colic relieved by hard pressure. Smell of cooking causes vomiting. These symptoms belong to
 - [A] Bryonia alba
 - [B] China officinalis
 - [C] Pulsatilla
 - [D] Stannum met
- **60.** Excessive lachrymation during cough; cough only in day time belongs to
 - [A] Dulcamara
 - [B] Euphrasia
 - [C] Kali bichromicum
 - [D] Medorrhinum
- **61.** Cough with thick ropy, greenish expectoration; must hold chest when coughing. Constant desire to take deep, long breath. These are indications of
 - [A] Merc sol
 - [B] Ignatia amara
 - [C] Bryonia alba
 - [D] Natrum sulph

- **62.** 'Cough in spasmodic paroxysms, caused by dry spot in larynx with itching in chest and throat and worse at night when lying down and during pregnancy' is an indication of
 - [A] Drosera rotundifolia
 - [B] Hyoscyamus niger
 - [C] Conium maculatum



- [D] Phosphorus
- 63. Match the following:

	Medicine				Common name	
(a)	Kal	Kalmia latifolia			Unicorn plant	
(b) Podophyllum			llum	2.	Mountain laurel	
(c) Drosera				3.	Mayapple	
(d)	Hel	Helonias dioica			Sundew	
	•	(a)	(b)	(c)	(d)	
	[A]	3	1	2	4	
	[B]	2	3	4	1	
	[C]	4	1	2	3	
	[D]	3	1	4	2	

- 64. Complementary of Rheum is
 - [A] Magnesia carb
 - [B] Chamomilla
 - [C] Sarsaparilla
 - [D] Natrum phos
- **65.** Remedy for the tendency to gangrene following mechanical injuries, especially of old people, with tremor and weakness is
 - [A] Arnica montana
 - [B] Sulphuric acid
 - [C] Hypericum perforatum
 - [D] Crotalus horridus

- **66.** Patient complains of chill beginning in the back between scapulae with severe pain of bones and extremities. Tongue is clean, smooth as if varnished. The indicated remedy is
 - [A] Pyrogen
 - [B] Terebinth
 - [C] Eupatorium perfoliatum
 - [D] Cina
- **67.** Which of the following medicines is a chronic of Bryonia alba?
 - [A] Alumina
 - [B] Conium maculatum
 - [C] Kali sulph
 - [D] Gelsemium
- **68.** Acute lancinating pain in breast cancer; breast feels drawn in. Obstinate constipation with ineffectual desire, stools of hard, round balls, like olives. The remedy is
 - [A] Asterias rubens
 - [B] Conium maculatum
 - [C] Nux vomica
 - [D] Plumbum met
- **69.** Adapted to the most severe types of inflammation with early and persistent prostration, _____ is the remedy for pain of death; soothes the last struggles.
 - [A] Belladonna
 - [B] Arsenicum album
 - [C] China officinalis
 - [D] Tarantula cubensis

- **70.** Removes the bad effects of iodine and excessive use of table salt. Perspiration has the odor of sulphur. The remedy is
 - [A] Natrum mur
 - [B] Phosphorus



- [C] Sulphur
- [D] Calcarea phos
- **71.** The only remedy mentioned in 'Aggravation from expanding abdomen' in *Boenninghausen's Therapeutic Pocket Book* is
 - [A] Ignatia amara
 - [B] Rhus toxicodendron
 - [C] Dioscorea villosa
 - [D] Ruta graveolens
- **72.** Which of the following rubric is found in *Boenninghausen's Therapeutic Pocket Book* but not in Kent's *Repertory?*
 - [A] Avarice
 - [B] Mistrust
 - [C] Cheerfulness
 - [D] Mildness
- **73.** The *First Alphabetical Pocket Repertory* was published by
 - [A] Boger
 - [B] Hempel
 - [C] Gross
 - [D] Glazor

- **74.** 'Muscae volitantes' is found in which section of Kent's *Repertory*?
 - [A] Eye
 - [B] Vision
 - [C] Generalities
 - [D] Skin



- **75.** What would be the arrangement of rubric in a patient complaining of sensitivity of smell to the odour of eggs in 'Nose' section of Kent's *Repertory*?
 - [A] Smell, acute, sensitive to odour, eggs
 - [B] Sensitive to odour, acute, smell, eggs
 - [C] Smell, sensitive to odour, eggs, acute
 - [D] Acute, smell, sensitive to odour, eggs
- **76.** Rubric 'Abortion' is found in which part of *Boenninghausen's Therapeutic Pocket Book*?
 - [A] Abdomen
 - [B] Leukorrhoea
 - [C] Menses
 - [D] Sexual organ
- **77.** Hering's *Analytical Repertory* was published in the year
 - [A] 1878
 - [B] 1881
 - [C] 1885
 - [D] 1888

- **78.** The remedy for 'Burnt feeling in face' in Boger Boenninghausen's Characteristics and Repertory is
 - [A] Sulphur
 - [B] Sepia
 - [C] Cantharis
 - [D] Nux vomica
- 79. Which of the following criteria is not considered in Kentian grading of symptoms?
 - [A] Symptom recorded during drug proving
 - [B] Confirmation by reproving
 - [C] Animal experimentation
 - [D] Verification upon sick
- **80.** "Repertory to the Symptoms of Intermittent Fever" is a work of
 - [A] M. L. Tyler
 - [B] W. A. Allen
 - [C] C. Wesselheoft
 - [D] S. Worcester

81.	Guernsey's <i>Card Repertory</i> is based on the work of	84. The shortest chapter (pagewise) in Kent's <i>Repertory</i> is
	[A] Hering	[A] Ear
	[B] Kent	[B] Vertigo
	[C] Boenninghausen	[C] Urethra
	[D] Clarke	[D] Prostate gland
82.	Which of the following statements is true regarding Bell's Diarrhoea? [A] The first edition was published in	85. Pyromania is found in which chapter of Boger Boenninghausen's Characteristics and Repertory?
	the year 1883	[A] Mind
	[B] Four types of gradations are used	[B] Head
	[C] Total number of remedies are 125	[C] Abdomen
	[D] It is a type of concordance repertory	[D] Skin
83.	Match the following:	86. The highest order of cure in acute affections is observed in which of the
	Rubric in Kent's Remedy Repertory	following Kent's observations?
(-)	Admed executed to	[A] First
, ,	Extremely sensitive 1. Stramonium condylomata in	[B] Fourth
	rectum	[C] Ninth
(b)	Giggling 2. Staphysagria	[D] Twelfth
(c)	Affectation 3. Hyoscyamus	87. In the Introduction part of <i>Organon</i> ,
(d)	Wraps up fur in 4. Cannabis indica summers	Hahnemann has recommended which of the following remedies in the
	(a) (b) (c) (d)	treatment of morbid symptoms of tapeworm?
	[A] 1 4 2 3 7 1	[A] Cina
	[B] 2 4 1 3	[B] Santonine
	[C] 1 2 3 4	[C] Male fern root
	[D] 4 1 3 2	[D] Sulphur

- **88.** The best form for administration of indigenous plants in drug proving is
 - [A] dry powder form
 - [B] freshly expressed juice mixed with little alcohol
 - [C] aqueous infusion of herb
 - [D] seeds
- **89.** Which of the following articles of Hahnemann was published after the fourth edition of *Organon of Medicine?*
 - [A] Some kinds of Continued and Remittent Fevers
 - [B] Cure and Prevention of Scarlet Fever
 - [C] Cure and Prevention of Asiatic Cholera
 - [D] On a proposed remedy for Hydrophobia
- **90.** The *posological doctrine* of 'Series in Degrees' in the treatment of the chronic diseases was given by
 - [A] M. L. Tyler
 - [B] H. C. Allen
 - [C] R. Hughes



[D] J. T. Kent

- **91.** Any drug which in its natural state affects the vital energy but little will develop a proving only in
 - [A] high potency
 - [B] mother tincture
 - [C] physiological dose
 - [D] crude drug powder
- **92.** H. A. Roberts concept of 'Auxiliary symptoms' describes
 - [A] chief complaints
 - [B] tautopathy
 - [C] concomitant symptoms
 - [D] pathological symptoms
- **93.** Alternating action of medicine is described in
 - [A] § 26
 - [B] § 115
 - [C] § 153
 - [D] § 221
- **94.** Administration of remedy amongst the general store of proved is the first line of treatment of
 - [A] primary stage of psora
 - [B] indisposition
 - [C] acute tropical affections
 - [D] primary stage of sycosis

- **95.** Which of the following statements is *false* regarding Kent's eleventh observation?
 - [A] Old symptoms are observed to reappear
 - [B] The medicine should be antidoted immediately
 - [C] Symptoms disappear in the reverse order of their appearance
 - [D] If the old symptoms come back to stay, then the repetition of dose is often necessary
- 96. The concept of vis medicatrix refers to
 - [A] secondary counteraction
 - [B] medicinal aggravation
 - [C] drug proving
 - [D] nature's self-help in diseases
- **97.** Which of the following remedies was recommended by Dr. Griesselich for iatrogenic idiosyncrasy to Sulphur?
 - [A] Mercurius metallicum
 - [B] Nux vomica



- [C] Nitric acid
- [D] Calcarea carbonicum

- **98.** A patient suffering from oppression, restlessness and anxiety at night; he dreads the night because it is so oppressive. Restlessness is so great that it drives him out of bed. The predominant miasm is
 - [A] psora
 - [B] sycosis
 - [C] syphilis
 - [D] cancer
- **99.** According to J. H. Allen, tubercular diathesis is the perfect hereditary combination of ____ miasms.
 - [A] psora and sycosis
 - [B] psora and syphilis
 - [C] sycosis and syphilis
 - [D] latent psora and cancer
- **100.** Stuart Close has defined the sphere of Similia through
 - [A] Dake's exclusion method
 - [B] Maupertuis' law of least action
 - [C] Burnett's inclusion criteria
 - [D] Mill's method of inductive logic

GDMO-HOMEOPATHY PAPER-II SET - A

ANSWER KEY
A
С
C C
D
В
В
С
D
С
A
В
С
D
В
D
С
D
В
C
С
В
A
В
С
D
С
В
D
С
В
A
С
D
С
В

36	С
37	A
38	С
39	D
40	С
41	В
42	В
43	С
44	A
45	A
46	D
47	В
48	В
49	A
50	В
51	A
52	В
53	С
54	D
55	В
56	A
57	D
58	С
59	D
60	В
61	D
62	С
63	В
64	A
65	В
66	A
67	A
68	A
69	D
70	В
71	A
72	В
73	D
74	В

75	A
76	C B
77	В
78	D
79	С
80	В
81	С
82	В
83	В
84	D
85	A
86	В
87	С
88	В
89	С
90	D
91	A
92	С
93	В
94	С
95	В
96	D
97	A
98	С
99	В
100	A