

SEAL

**R/A/PR EXAM.
2021**

300083

**TECHNICAL PAPER
(Computer Science / Application)
(Optional Technical)**

Time : 3 hours]

[Full Marks : 100

PART—I

(Marks : 20)

- Notes :** (i) Answer **all** questions.
(ii) Each question carries **1** mark.

1. Write C statements to exchange two variables without using a temporary variable.
2. Which of the following statement(s) is/are true?
 - (a) The changes in formal parameters are not reflected in actual parameters in the case of pass by the value parameter passing.
 - (b) A function in C cannot return multiple values straightaway.
3. What is the difference between static RAM and dynamic RAM?

4. Consider the following recursive function fun(x, y) :


```
int fun(int x, int y)
{
    if(x == 0)
        return y;
    return fun(x - 1, x + y);
}
```

What is the value of fun (4, 3)?

SEAL

SEAL

5. How is dynamic programming different from greedy approach of algorithm design?
6. A series of Undo/Redo operations in MS-Excel or MS-Word best corresponds to which data structure?
- (a) Stack
 - (b) Queue
 - (c) Linked list
 - (d) None of the above
7. Identify a minimum spanning tree in the following graph :



8. Differentiate between malloc and realloc dynamic memory allocation functions.
9. What is friend function in C++?
10. In operating system, what do you mean by critical section?
11. Convert the decimal number $(50)_{10}$ into its hexadecimal equivalent.
12. What do you mean by virtual memory?
13. Determine the postfix equivalent of the infix expression $A * B ^ C + D$.
14. Differentiate between relational data model and object-oriented data model.

15. What is the maximum height of an AVL tree with 7 nodes?
16. What is the purpose of Hamming code in computer networks?
17. What do you mean by MAC address?
18. Why is normalization required in DBMS?
19. The following numbers are inserted into an empty Binary Search Tree (BST) in the given order :

10, 1, 3, 5, 15, 12, 16

Construct the BST.

20. If the sequence of operations – push (1), push (2), pop, push (1), push (2), pop, pop, pop, push (2), pop are performed on a stack, what will be the sequence of popped out values? Assume that push inserts an element into the stack and pop removes an element from stack top.

PART—II

(Marks : 80)

- Notes :** (i) Answer **all** questions.
(ii) Each question carries **10** marks.

21. (a) Consider a machine with byte addressable main memory of 216 bytes and block size of 8 bytes. Assume that a direct mapped cache consisting of 32 lines is used with this machine.
- (i) How is 16 bit memory address divided into tag, line number and byte number?
- (ii) Into what line would the byte with address $(C334)_{16}$ be stored?
- (b) Compare and contrast the features of RISC and CISC.